W.A. Macdonald

COMPLIMENTARY

(R.T. Leiper)

SUBJECT INDEX TO TITLES

IN THE

BIBLIOGRAPHY OF HELMINTHOLOGY

for the Year

1930

IMPERIAL BUREAU OF AGRICULTURAL PARASITOLOGY
Winches Farm Drive
Hatfield Road
St. Albans · Eng.

February, 1933.

SUBJECT INDEX TO TITLES

in the

BIBLIOGRAPHY OF HELMINTHOLOGY

for the Year 1930

This index is based upon the subject matter as revealed in the titles only, as printed in the Bibliography, and is arranged in four groups headed respectively: GENERAL, PARASITES, PARASITIC DISEASES and HOSTS, under each of which the key-words are in A–Z order. The fourth group contains hosts other than man, since man is rarely mentioned as host in titles of medical papers, and cannot always be inferred with certainty. Titles on systematics, life-histories and bionomics are indexed under "Parasites," and those on pathology, therapeutics, prophylaxis and related subjects under "Parasitic Diseases," without cross-references. An index of this type is necessarily not exhaustive, since the titles often give little indication of the scope of the actual paper.

GENERAL.

Anthelmintics
12*a*, 24*i*, 24*k*, 29*a*, 29*c*, 29*d*, 31*a*, 35*a*, 36*i*, 78*b*, 106*a*, 106*b*, 106*c*, 106*g*, 106*h*, 106*i*, 106*l*, 106*o*, 109*h*, 131*a*, 131*b*, 131*c*, 136*c*, 137*a*, 141*a*, 143*m*, 145*a*, 147*a*, 149*f*, 160*c*, 167*a*, 171*a*, 176*k*, 180*a*, 200*c*, 203*a*, 238*a*, 238*b*, 243*b*, 243*d*, 277*b*, 279*a*, 299*c*, 302*k*, 311*a*,

Anthelmintics—*cont.*
316*a*, 317*a*, 318*e*, 319*e*, 323*c*, 326*a*, 326*b*, 329*a*, 330*a*.

Biological Races
57*a*.

Duodenal sound in helminthiasis
118*f*, 179*a*, 324*b*, 324*c*.

Nomenclature
23*h*.

Parasitology, General
94*b*, 97*a*, 134*a*, 143*o*, 166*e*, 302*a*, 302*b*, 319*c*, 321*b*, 341*b*.

Sanitary Problems
178*a*.

Society Proceedings, Abstracts of
166*d*, 166*x*, 166*zc*.

Technique
39*a*, 109*b*, 143*h*, 219*k*, 219*l*, 219*m*, 268*a*, 278*a*, 286*a*, 298*i*, 305*l*, 314*a*.

PARASITES.

Acanthocephala
255*f*.

Actinolaimus
334*a*.

Acuaria
215*f*, 255*e*.

Acuariidae
166*j*.

Agamodistomum
341*g*.

Amidostomum
155*a*.

Amphilina
344*l*.

Ancylostoma
7*c*, 7*d*, 24*f*, 106*e*, 134*b*.

Ancylostomes
160*a*, 248*a*.

Anguillula
21*a*, 72*a*, 95*a*.

Anoplodiscus
53*b*.

Anoplostrongylus
255*b*.

PARASITES—*cont.*

Archigetes 196*a*.

Ascaridia 328*c*.

Ascaris 7*a*, 23*e*, 106*a*, 144*a*, 154*a*, 279*b*, 290*c*, 298*c*, 305*n*, 317*d*, 339*b*.

Ascocotyle 198*b*.

Astiotrema 79*a*, 104*a*.

Avitellina 61*a*.

Bertiella 128*e*.

Bilharziella 30*a*.

Blatticola 298*h*.

Bucephalidae 298*a*.

Butlerius 344*n*.

Capillaria 109*e*, 143*c*, 143*d*.

Caryophyllaeidae 126*a*.

Catatropis 32*a*.

Cathaemasia 24*a*.

Cercaria 6*b*, 19*d*, 19*e*, 56*a*, 94*i*, 107*a*, 127*c*, 127*j*, 166*f*, 166*k*, 166*v*, 224*j*, 285*c*, 302*c*, 302*i*.

Cercariaeum 166*p*.

Cestodes 84*b*, 143*g*, 152*d*, 224*c*, 224*d*, 224*h*, 231*a*, 284*a*, 298*k*, 300*a*.

Choerostrongylus 207*a*.

Clementeia 198*i*.

Clinostomidae 91*a*.

Coenurus 299*m*.

Collyriclum 13*b*.

Conolaimella 344*f*.

Conolaimus 344*g*.

Corynosoma 312*a*.

Cotylophoron 255*h*.

Crenosoma 152*q*.

Cruzia 341*l*.

Cryptocotyle 164*c*.

Cyclocoelidae 270*c*.

Cyclocoelum 19*l*.

Cylindrogaster 152*h*.

Cyrnea 143*d*.

Cysticercus 264*a*, 266*a*, 283*d*.

Cystoopsis 339*a*.

Davainea 190*a*.

Davaineidae 62*a*.

Dibothriocephalus 55*a*, 132*a*, 136*a*, 166*m*, 263*a*, 291*c*, 291*d*, 291*e*, 335*e*, 335*i*.

Dicrocoelium 166*q*, 285*d*, 285*e*.

Dictyocaulus 207*a*.

Dihemistephanus 224*i*.

Dioicocestus 270*b*.

Diphterostomum 246*a*, 274*a*.

Diplodiscus 166*z*.

Dirofilaria 24*e*, 143*l*, 305*a*.

Dispharynx 143*d*.

Dudekemia 198*h*.

Echinococcus 14*a*, 14*c*, 41*a*, 80*a*, 117*a*, 121*a*, 277*a*, 279*e*, 341*k*.

Echinopharynx 299*d*.

Echinostomum 24*d*.

Enoplolaimus 344*o*.

Eucoleus 19*v*.

Eucotyle 244*a*.

Eumonodontus 341*a*.

Farzandia 23*f*.

Fasciola 136*b*, 213*a*, 235*a*, 280*b*, 283*c*, 285*b*, 291*f*, 291*g*, 317*b*.

PARASITES—*cont.*

Fasciolopsis
291*f*, 291*g*.

Filaria
23*j*, 65*a*, 100*f*, 127*a*, 127*g*, 256*m*, 299*j*, 341*h*.

Free-living Nematodes
33*a*, 139*d*, 152*l*, 214*a*, 296*b*, 320*a*, 320*b*, 344*b*, 344*c*, 344*d*, 344*e*, 344*i*, 344*k*, 346*a*.

Gaigeria
341*a*.

Gigantobilharzia
335*f*.

Glypthelmins
166*l*.

Gomtia
19*k*.

Gongylonema
291*h*.

Gordius
210*a*.

Haematozoa
9*a*, 256*a*.

Hamacreadium
166*o*.

Haplobothrium
166*b*, 241*a*.

Haplometra
198*d*.

Harmostomum
224*a*.

Hastospiculum
23*j*.

Hedruris
166*w*.

Heligmosomoides
289*a*.

Helminths
255*g*, 257*a*, 270*a*, 298*l*.

Helminth Surveys
49*a*, 89*a*, 92*b*, 152*a*, 152*f*, 219*a*, 219*b*, 219*c*, 219*e*, 219*f*, 219*g*, 219*h*, 219*j*, 222*b*, 228*b*, 229*a*, 235*b*, 268*c*, 303*a*, 305*e*, 344*j*.

Hepaticola
24*c*, 335*d*.

Heterakidae
23*b*.

Heterakis
88*a*, 328*b*.

Heterodera
28*a*, 85*a*, 106*m*, 138*c*, 148*a*, 152*b*, 152*j*, 152*m*, 281*a*, 327*a*, 327*b*, 342*b*.

Heterophyes
221*a*.

Heterophyidae
23*c*.

Hexangium
298*d*.

Hymenolepis
48*e*, 208*c*.

Hyptiasmus
270*c*.

Kidney-worm
318*a*.

Lankesteria
24*e*.

Lungworm
109*a*, 119*a*, 207*a*, 333*b*.

Macrophyllida
53*a*.

Mermis
63*a*, 74*a*, 92*a*.

Mesocestoides
207*c*.

Metastrongylus
207*a*.

Microfilaria
10*a*.

Monodontella
341*a*.

Monostomes
166*s*, 285*c*.

Multiceps
299*m*.

Muspicea
19*p*.

Nagmia
24*b*.

Necator
256*f*.

Nematodes
23*i*, 24*j*, 84*a*, 133*a*, 138*a*, 152*g*, 166*r*, 166*za*, 166*zd*, 176*c*, 262*a*, 280*a*, 298*b*, 299*a*, 328*d*.

Neodiplogaster
139*c*.

Neodiplostomum
166*c*.

Nephrocephala
19*i*.

Notocotylus
32*a*, 105*a*.

Nygolaimus
139*e*.

Oesophagostomum
139*b*.

Onchocerca
10*f*, 10*g*, 10*h*, 36*h*, 249*a*, 254*a*.

Ophiocephalus
23*f*.

Opisthioglyphe
198*g*.

Opisthoporus
298*j*.

Ornithobilharzia
244*b*.

Ostertagia
341*i*, 344*m*.

PARASITES—*cont.*

Ostiolum 198*f*.

Oxysomatium 166*y*.

Oxyuridae 23*b*.

Oxyuris 106*m*, 166*zb*, 255*d*.

Paradiplostomum 298*e*.

Paragonimus 209*a*, 215*c*.

Parahemiurus 106*j*.

Parasites 19*j*, 26*a*, 27*a*, 31*b*, 46*a*, 48*c*, 100*d*, 150*a*, 158*a*, 211*a*, 212*a*, 220*a*, 236*a*, 240*a*, 291*a*, 299*b*, 341*f*.

Parasitylenchus 152*r*.

Physaloptera 255*f*.

Pithecostrongylus 19*b*.

Plagiorchis 298*g*.

Plant-Eelworm 336*a*, 342*a*.

Pleurogenes 341*d*.

Pleurogenoides 198*k*.

Pneumonoeces 198*f*, 341*g*.

Polypocephalus 245*a*.

Procamallanus 6*a*.

Proleptus 296*c*.

Proshystera 294*b*.

Prosotocus 198*j*.

Prosthogonimus 100*e*.

Protostrongylus 243*c*.

Pseudaprocta 19*w*.

Rhabdiasoidea 198*l*.

Rhabditis 152*o*, 164*a*.

Rhigonema 166*t*, 198*h*.

Rictularia 255*f*.

Root-knot Nematode 85*a*.

Sauricola 299*d*.

Schistosoma 19*a*, 20*b*, 129*a*, 149*g*.

Schistosomes 19*m*, 19*n*, 176*i*, 271*a*.

Sectonema 139*e*.

Siphonolaimus 344*p*.

Skrjabinelazia 19*u*.

Skrjabinema 109*d*, 152*e*, 335*g*.

Soboliphyme 344*a*.

Sparganum 256*g*.

Stenobothrium 239*a*.

Stomach worm 52*a*, 294*d*, 318*b*.

Streptocara 174*a*.

Streptopharagus 255*c*.

Strigeidae 47*a*, 166*k*.

Strongyles 199*a*, 215*d*, 256*d*, 285*a*, 294*a*, 294*c*, 319*b*, 338*b*, 338*c*.

Strongyloidea 49*b*.

Strongyloides 9*g*, 19*h*, 36*e*, 139*a*, 243*e*, 295*a*, 335*a*.

Strongylus 24*l*.

Subulura 152*c*, 341*e*.

Taenia 256*b*, 288*d*, 298*f*, 301*a*.

Telorchis 166*zc*.

Tetracotyle 285*c*.

Tetrameres 335*c*.

Tetrarhynchids 197*a*.

Tetrarhynchus 124*a*.

Thubunaea 23*a*.

Toxascaris 305*k*.

Toxocara 292*a*.

Trematodes 7*f*, 23*g*, 23*k*, 77*a*, 100*a*, 100*c*, 138*b*, 164*b*, 166*h*, 166*i*, 168*a*, 198*e*, 215*b*, 224*b*, 224*e*, 253*a*, 280*c*, 282*a*, 331*a*.

PARASITES—*cont.*

Tremiorchis
224*f*.

Trichonema
106*p*, 106*q*, 109*f*.

Trichostrongylids
23*d*, 306*a*, 345*a*.

Trichostrongylus
24*g*, 255*a*.

Trichuris
166*g*, 290*a*, 321*a*.

Trichuroidea
166*u*.

Tricoma
344*h*.

Tylenchinema
230*a*.

Tylenchus
152*n*, 186*a*, 296*a*, 297*b*.

Wuchereria
128*j*.

Zalophotrema
224*g*.

PARASITIC DISEASES.

Ancylostomiasis
7*b*, 7*h*, 9*h*, 15*a*, 20*a*, 25*a*, 36*d*, 42*a*, 43*a*, 64*c*, 65*b*, 118*f*, 118*g*, 122*a*, 127*i*, 135*a*, 170*a*, 180*f*, 181*c*, 183*b*, 191*a*, 198*a*, 208*a*, 223*a*, 228*c*, 243*d*, 247*a*, 253*b*, 256*e*, 256*i*, 288*a*, 288*c*, 291*b*, 299*f*, 299*g*, 299*h*, 305*c*, 305*d*, 305*f*, 305*h*, 305*j*, 305*o*.

Ascariasis
7*b*, 7*e*, 20*a*, 37*a*, 71*b*, 71*c*, 90*a*, 90*b*, 128*d*, 128*i*, 142*b*, 142*f*, 152*i*, 163*a*, 178*b*, 225*a*, 227*a*, 234*a*, 234*b*, 243*b*, 260*a*, 272*c*, 279*d*, 290*b*, 308*a*, 315*a*, 322*a*, 343*a*, 343*b*.

Avitaminosis
165*a*.

" Blackhead "
4*a*, 143*b*.

Capillariasis
318*d*.

Cestode diseases
7*g*, 96*a*, 217*a*, 226*a*, 226*b*, 321*c*, 323*a*, 323*b*, 323*c*, 324*a*, 324*b*, 329*a*.

Clonorchiasis
29*a*, 29*c*, 29*d*, 76*a*, 87*a*, 221*b*, 299*e*.

Creeping eruption
176*f*, 302*j*, 302*k*.

Cysticerciasis
11*a*, 21*b*, 36*c*, 38*a*, 94*h*, 108*b*, 242*c*, 243*a*, 275*a*, 282*b*, 295*b*, 324*d*, 332*a*, 332*c*, 332*d*.

Dermatitis (cercarial)
180*e*, 302*c*, 302*i*.

Dibothriocephaliasis
1*a*, 36*g*, 64*b*, 93*a*, 118*h*, 142*e*, 180*d*.

Dicrocoeliasis
305*b*.

Distomiasis
98*a*, 207*b*, 227*b*, 268*b*.

Dracunculosis
18*a*, 94*j*, 127*h*, 187*a*, 201*a*.

Dysentery
172*b*, 302*g*, 302*h*.

Echinococcosis
9*d*, 19*q*, 19*s*, 34*a*, 48*d*, 50*a*, 51*a*, 69*a*, 71*e*, 106*k*, 106*n*, 110*a*, 111*a*, 112*a*, 146*a*, 146*b*, 146*c*, 157*a*, 177*a*, 179*a*, 189*a*, 192*a*, 194*a*, 195*b*, 206*a*, 209*c*, 216*a*, 233*a*, 250*a*, 250*b*. 258*a*, 259*a*, 261*a*, 272*b*, 273*a*, 276*a*, 283*a*, 283*b*, 313*a*, 337*a*.

Elephantiasis
235*c*, 251*a*.

Eosinophilia
205*a*.

Fascioliasis
19*g*, 48*a*, 75*a*, 256*l*.

Filariasis
3*a*, 8*a*, 9*b*, 9*f*, 24*h*, 25*b*, 36*f*, 44*a*, 58*a*, 58*c*, 68*a*, 70*a*, 90*d*, 118*b*, 118*c*, 118*d*, 118*e*, 127*b*, 127*d*, 127*e*, 127*f*, 128*a*, 128*b*, 128*k*, 128*l*, 151*a*, 170*b*, 190*c*, 202*a*, 222*a*, 222*c*, 299*k*, 299*l*, 311*a*, 326*b*, 335*h*.

" Fistulous withers "
143*i*.

Gnathostomiasis
128*f*, 128*g*.

Ground-itch
36*b*.

Helminthiasis
2*a*, 7*i*, 13*a*, 16*a*, 18*b*, 18*c*, 31*c*, 94*c*, 102*a*, 120*a*, 128*c*, 156*a*, 175*a*, 181*b*, 195*a*, 200*a*, 200*b*, 208*b*, 219*i*, 228*a*, 256*j*, 257*a*, 305*q*, 307*a*, 310*a*, 311*b*, 324*c*, 333*a*.

Hepaticoliasis
17*a*.

PARASITIC DISEASES—*cont.*

Hymenolepiasis
106*d*, 142*c*, 219*d*, 256*h*, 305*m*, 305*p*.

Immunology
7*g*.

Liver fluke disease
318*c*, 319*e*.

Metagonimiasis
305*g*.

Metorchiasis
9*c*.

Nematode infection
128*h*, 159*a*, 209*b*.

Onchocerciasis
10*b*, 10*c*, 10*d*, 10*e*, 11*b*, 60*a*, 73*a*, 143*i*, 277*c*, 277*d*, 310*b*.

Opisthorchiasis
9*c*.

Oxyuriasis
19*r*, 45*a*, 161*a*, 172*c*, 183*a*, 219*l*, 267*a*, 272*c*.

Paragonimiasis
29*b*, 100*b*, 209*d*, 305*i*.

Parasitosis
94*a*, 94*e*, 94*f*, 94*g*, 106*f*, 190*b*, 234*c*, 256*c*, 256*k*, 265*b*, 288*b*, 299*i*.

Plant-Eelworm Disease
5*a*, 5*b*, 148*b*, 173*a*, 297*a*, 335*b*.

Plant Pathology
114*a*, 218*a*, 293*a*, 340*a*.

Schistosomiasis
19*c*, 19*f*, 19*o*, 19*t*, 24*i*, 24*k*, 24*m*, 36*a*, 36*j*, 36*k*, 36*l*, 40*a*, 42*b*, 48*b*, 58*b*, 59*a*, 64*a*, 78*a*, 78*b*, 81*a*, 90*c*, 94*d*, 99*a*, 115*a*, 123*a*, 136*d*, 149*a*, 149*b*, 149*c*, 149*d*, 149*e*, 160*b*, 172*a*, 176*a*, 176*b*, 176*d*, 176*e*, 176*g*, 176*h*, 176*j*, 181*a*, 181*d*, 184*a*, 185*a*, 237*a*, 242*a*, 242*b*, 265*a*, 269*a*, 269*b*, 269*c*, 269*d*, 269*e*, 272*a*, 302*d*, 302*e*, 302*f*, 325*a*, 330*a*.

Splenomegaly
14*b*.

Strongyloidiasis
130*a*, 180*b*, 192*b*, 299*c*, 299*n*.

Syngamiasis
328*a*.

Taeniasis
71*d*, 172*d*.

Therapy
116*a*, 131*e*.

Toxicology
9*e*, 329*a*.

Trichinelliasis
71*a*, 108*a*, 142*a*, 142*d*, 169*a*, 180*c*, 193*a*, 215*a*, 304*a*, 332*b*, 341*c*, 341*j*.

Trichostrongyliasis
20*c*.

Trichuriasis
7*e*, 43*a*, 194*b*, 326*a*.

HOSTS.

Acipenser
224*i*, 339*a*.

Aëdes
24*e*.

Aethechinus
255*f*.

Amia
166*b*, 241*a*.

Amphibia
23*i*, 166*r*.

Anopheles
299*a*.

Antigone
335*c*.

Bear
332*b*.

Beet
327*a*, 327*b*, 342*b*.

Beetles
346*a*.

Birds
19*w*, 19*v*, 32*a*, 47*a*, 52*a*, 55*b*, 131*e*, 166*i*, 166*za*, 224*d*, 244*a*, 256*a*, 294*b*, 328*a*, 335*f*.

Bulinus
19*a*.

Bushbuck
255*g*.

Camel
166*g*.

Cat
9*c*, 9*e*, 215*c*, 321*a*.

Cattle
109*a*, 109*e*, 119*a*, 249*a*, 255*h*, 294*d*, 295*b*, 302*f*, 310*b*, 317*b*, 332*c*, 332*d*, 333*a*.

Cebus
256*d*, 256*m*.

Cereals
148*a*.

Chamois
207*b*, 335*g*.

Chimpanzee
19*r*, 335*h*.

HOSTS—*cont.*

Chrysanthemum
335*b*.

Ciconia
24*a*.

Clemmys
166*zc*.

Cockroach
160*a*.

Corvus
77*a*.

Crocodile
166*c*.

Culex
127*a*.

Daffodil
296*a*.

Deer
344*m*.

Diemyctylus
166*w*.

Dog
41*a*, 94*h*, 106*b*, 106*i*, 109*h*, 136*c*, 143*f*, 143*l*, 299*h*, 344*j*.

Domesticated Animals
55*c*, 152*a*, 152*f*, 175*a*, 310*a*, 319*a*, 319*b*, 319*d*.

Duck, domestic
155*a*, 174*a*.

Elephant
271*b*.

Emys
79*a*, 104*a*.

Enterobrus
166*t*.

Eusimulium
36*h*.

Fallow Deer
207*b*.

Fish
19*k*, 26*a*, 86*a*, 153*a*, 166*a*, 166*f*, 166*o*, 168*a*, 215*b*, 298*g*, 331*a*, 344*l*.

Fowl, domestic
100*a*, 143*d*, 143*j*, 298*l*, 328*a*, 328*b*, 328*c*, 341*c*.

Fox
66*a*, 318*d*.

Fox, Silver
143*a*, 207*c*.

Frit-fly
152*k*.

Frog
24*j*, 136*a*, 166*h*.

Fur-bearing Animals
143*n*, 204*a*.

Geosciurus
255*c*.

Goat
24*g*, 67*a*, 143*m*, 152*e*, 152*p*, 257*a*, 299*m*.

Goose
23*g*, 244*b*.

Grouse
220*a*.

Guillemot
138*a*.

Guinea-pig
76*a*, 87*a*.

Hare
207*b*.

Horse
37*a*, 54*b*, 101*b*, 106*p*, 106*q*, 109*c*, 109*f*, 109*g*, 199*a*, 215*d*, 215*e*, 262*a*, 278*a*, 285*a*, 294*a*, 294*c*, 316*a*, 338*b*, 338*c*.

Hyacinth
296*a*, 297*b*.

Hyphantornis
255*e*.

Indoplanorbis
127*c*.

Insectivores
150*a*.

Insects
57*a*, 127*e*, 166*n*, 287*a*.

Invertebrates
55*c*.

Leptoptilos
335*c*.

Limnaea
283*c*, 285*b*, 302*i*.

Macacus
165*a*.

Mammals
62*a*.

Marmota
298*b*, 298*k*.

Millipede
166*t*.

Molluscs
149*d*, 280*c*, 285*c*, 285*d*, 285*e*.

Monkeys
9*a*, 341*e*.

Mosquitoes
24*e*, 24*h*.

Mouse
19*o*, 19*p*, 106*d*, 136*a*, 289*a*.

Mule
338*a*.

Mustard
152*b*.

Mustelidae
23*e*.

Myopotamus
341*k*.

Narcissus
188*a*, 297*b*.

Nicotiana
342*a*.

Oat
327*a*.

Ophiocephalus
23*f*.

HOSTS—*cont.*

Orang-utan
19*b*, 341*h*.

Oscinella
230*a*.

Pecten
166*zd*.

Pheidole
74*a*, 92*a*.

Phlox
173*a*.

Pigs
22*a*, 48*c*, 52*a*, 54*a*, 106*a*, 139*a*, 139*b*, 143*k*, 203*a*, 207*a*, 215*a*, 252*a*, 299*n*, 317*d*, 318*a*, 332*a*, 333*b*.

Polyodon
300*a*.

Popillia
280*a*.

Potatoes
5*a*, 5*b*, 152*b*, 152*j*, 281*a*.

Potos
152*q*.

Poultry
13*b*, 82*a*, 101*a*, 103*a*, 113*a*, 298*l*, 328*d*.

Primates
152*c*.

Psittacidae
49*a*.

Quail
143*c*, 143*d*.

Rabbit
9*e*, 29*a*, 29*c*, 29*d*, 305*k*.

Rana
166*z*, 341*d*.

Rat
24*c*, 180*c*, 182*a*, 243*a*, 282*b*, 341*h*.

Red-Deer
207*b*.

Reindeer
109*d*.

Reptile
19*u*.

Rodents
150*a*.

Roe-Deer
207*b*.

Sable
344*a*.

Sardinella
106*j*.

Scolytidae
152*r*.

Seal
312*a*.

Sheep
19*g*, 75*a*, 109*a*, 140*a*, 152*p*, 162*a*, 255*h*, 302*f*, 306*a*, 309*a*, 317*a*, 317*c*, 318*b*, 318*c*, 341*i*.

Shrimp
100*c*.

Simulidae
10*f*.

Spalax
88*a*.

Strawberry
232*a*, 232*b*.

Sugar-beet
340*a*.

Sugar-cane
125*a*.

Sunfish
241*a*.

Toad
24*j*.

Tortoise
23*k*.

Tupinambis
341*l*.

Turkeys
4*a*, 143*b*.

Turtle
166*s*.

Viviparus
282*a*.

Wallago
6*a*.

White pine weevil
139*c*.

Wild animals
83*a*.

Publications of the Imperial Bureau of Agricultural Parasitology

(IMPERIAL AGRICULTURAL BUREAUX)

(*a*) **Bibliography of Helminthology.**

For the year 1930 ; 62 *pp.* For the year 1931 ; 81 *pp.*
Library Edition, bound in cloth : 8s. 6d., stiff paper cover only : 6s.
Supplement, for 1930 ; 18 *pp.*, 1*s.* 6*d.*
Subject-Index to Titles, for 1930, 8 *pp.* ; free on application.

(*b*) **The Root-infesting Eelworms of the Genus Heterodera :**

A Bibliography and Host-list ; *viii*+99 *pp.*, 2 *plates.*
Library Edition, bound in cloth : 8s. 6d., stiff paper cover only : 6s.

(*c*) ***The Helminth Parasites of Common Rats.**

By J. N. Oldham. 42 *pp.*, 2*s.*

(*d*) ***The Genus *Anguillulina* Gerv. & v. Ben., 1859, vel *Tylenchus* Bastian, 1865.**

By T. Goodey, 106 *pp.*, 117 *figs. stiff paper cover*, 12*s.* 6*d.*

(*e*) **The Scope and Aims of the Imperial Bureau of Agricultural Parasitology.**

By B. G. Peters, 6 *pp.* ; free on application.

(*f*) **Notes and Memoranda.**

*No. 1. On the Eelworm *Heterodera schachtii* as a Potential Danger to the Sugar-beet Industry in Britain. 8 *pp.*, 1*s.*
*No. 2. Hand-list of Helminth Parasites of the Rabbit. 12 *pp.*, 1*s.*
*No. 3. The Kidney-worm of Swine : *Stephanurus dentatus.* 12 *pp.*, 1*s.*
*No. 4. The Helminth Parasites of Deer. 32 *pp.*, 2*s.*
*No. 5. Differential Diagnosis of Plant-parasitic Eelworms. 12 *pp.*, 1*s.*
No. 6. "Potato Sickness" and the Eelworm *Heterodera schachtii.* 22 pp., 2*s.*
No. 7. Helminthology in its Application to Livestock. By T. W. M. Cameron, 8 *pp.*, 1*s.*
No. 8. Helminthology in its Application to Agriculture and Horticulture. By M. J. Triffitt. 6 *pp.*, 1*s.*
No. 9. Helminths in the Biological Control of Insect Pests. By J. N. Oldham, 6 *pp.*, 1*s.*

* These appeared originally in the *Journal of Helminthology* and are now issued separately in stiff paper covers.

HELMINTHOLOGICAL ABSTRACTS.

Issued in five parts annually by the Journal of Helminthology ; incorporates abstracts prepared by the Bureau of original papers on applied helminthology. Subscription 16/6 net a volume, post free.

These publications are obtainable through any bookseller, or direct from the Imperial Bureau of Agricultural Parasitology, Winches Farm Drive, Hatfield Road, St. Albans, Herts., England.

Printed in England by SOUTH ESSEX RECORDERS, Ltd., High Road, Ilford, Essex
and Published by THE IMPERIAL BUREAU OF AGRICULTURAL PARASITOLOGY, St. Albans.